

98C SURFACE DRIVE GATHERING CHAIN SILO UNLOADER



SILO UNLOADER CUSTOMER PREFERRED FOR:

- ✓ Reliability
- ✓ High-volume Unloading
- ✓ Reduced Labor Costs

FEEDING IS BELIEVING!
Schedule a DEMO Today!

FEEDINGSOLUTIONS
www.patzcorp.com

INVESTMENT FLEXIBILITY
Ask Dealer for Financing Details



98C SURFACE DRIVE GATHERING CHAIN


Standard Features

FROZEN SILAGE AND HARD PACKED FEEDS HAVE JUST MET THEIR MATCH!

The Patz gathering chain includes closed-die forged hardened cutters and claws to deliver maximum performance you can count on every time!

When you purchase a Patz 98C Silo Unloader with Patz gathering chain and sprockets, you can expect the following:

- **Maximum life expectancy** resulting from a more uniform fit between the gathering chain and sprockets.
- **Minimized wear and increased durability** thanks to the consistent hardness level achieved through the manufacturing process.
- **Maximum performance in hard packed and frozen feeds every time** by the closed-die forged hardened gathering chain cutters and claws.
- **High volume delivery for fast feeding** resulting in **reduced labor costs!**



Easy setscrew adjustment of chain tension!



Patz gathering chain and sprockets, manufactured using state-of-the-art techniques and heat treating process, enable a precise degree of hardening. Includes closed-die forged hardened cutters and claws for superior strength and performance resulting in high volume delivery for fast feeding. All-welded construction eliminates points of corrosion.



Shown cut-away for viewing

The Patz electrical joint is unmatched in design.

- **Easy serviceability**
- **Easy to grease**
- **7/8 inch extra wide (22 mm)** copper-alloy rings and brushes
- Large 3 3/4 x 6 inches (95 x 152 mm) **easy access opening** to brushes
- **One-piece housing** sealed against dust and moisture
- **Di-electrically tested** to assure all circuitry functions properly
- **CSA approved cord** resists oil, silage acids, moisture, and abrasion
- **Cord features** copper construction throughout to carry maximum electrical loads

1 Drive wheel cast-iron gearbox provides strength and rigidity to withstand high torque forces. Quality construction throughout provides years of service.




2 For operator safety and convenience, a control panel with ammeter and remote push



3 The 98C's dept-of-cut control and counterweight for the gathering chain eliminate daily adjustments while providing a full flow of silage every feeding — right to the bottom of the silo.



4 The power cutter's unique design with its spinning action follows the exact curvature of the silo wall. Spring tensions keep the spinning, self-sharpening knives in position resulting in a "clean-shaven" silo wall. An oil-bath for the roller chain-driven power cutter provides long service life. Wear shoe is easy to replace and keeps maintenance economical. (Guard removed for viewing.)



5 The high-capacity blower's high-strength, corrosion-resistant steel impeller blades with welded studs are adjustable to allow close tolerance for maximum blower efficiency and longer service life. Choose from flat or cupped blades.



6 The Patz design loads the blower from the side to provide superior blowing performance. Full circle blower band provides improved blower efficiency. Optional stainless steel blower is also available (pictured right).

7 The Patz 98C can replace any top unloader — even if your silo is partly empty! All 98C parts go up the silo chute for easy installation whether your silo is full or partly empty.



8 When refilling the silo, the 98C can be raised to the top of the dome above the silo wall providing you with every inch of feed storage.

98C SURFACE DRIVE GATHERING CHAIN

Benefits and Specifications



REASONS WHY CHOOSING A GENUINE PATZ BLUE SILO UNLOADER IS YOUR BEST INVESTMENT!

- ✓ Dependable, superior **quality products**.
- ✓ **Customer support** services before and after the sale.
- ✓ Company certified **technical support** personnel are just a phone call away.
- ✓ **Flexible payment plans** available.
- ✓ **Local Patz dealership support**. From sales to certified service personnel, your local Patz dealer has the expertise, products, and programs to keep your operation running efficiently and successfully.
- ✓ Leading written **warranty** in the industry - 1 year for all silo unloaders.

98C SILO UNLOADER	U/M	
Four Sizes	ft (m)	Fits 12 - 30 (3.66 - 9.14) in Diameter
Motor		7.5 & 10 HP Single Phase / 10 HP 3-Phase
Gathering Chain		Unit 66 Double-Hook, Oil Quenched, Closed-Die Forged Hardened Cutters and Claws, or Without Cutters
Caster Wheels		Adjustable, Control Level of Silage at Center of Silo
Blower Cap	in (mm)	14 Gauge (1.9) Steel Sides and 11 Gauge (3) Steel Top
Construction		All Steel
Electrical Connections		CSA Approved
Clutch (Optional)		Manual Operation, Permits Cleaning of Chain and Blower Before Turning Off the Motor
Additional Options		Size Option Kit, Frost Eliminator Kit, Weight Control Hitch, Tripod, Hitch, Manual or Motor-Driven Winch Assembly



CAUTION: Never operate Patz equipment without all shields and guards in place. *Safety Is No Accident.* Before operating any piece of equipment, be sure to read and understand the operator's manual. This manual should be kept with the machine at all times. Additionally, make sure all safety shields and devices are functioning properly and are securely in place.



For some photos in this brochure, guards were removed for photographic purposes only to allow viewing of the equipment features. Before operating equipment, all guards must be in place. Because Patz continually improves and updates products, Patz reserves the right to change the construction of machines or attachments or any part thereof without incurring any obligation to make like changes on Patz machines, or attachments previously delivered. Specifications and prices subject to change without notice.